


SULLIVANS

39282

IRONING CENTER

INSTRUCTIONS



























www.SullivansUSA.net

Ironing Center Parts List

Tools needed: Phillips head screwdriver.


Assembly time: Approx. 40 min.

<p>A 1PC</p>  <p>24" x 22" Table Top</p>	<p>B 1PC</p>  <p>17½" x 22" Table Top</p>	<p>C 1PC</p>  <p>17½" x 22" Table Top</p>	<p>D 1PC</p>  <p>33¼" x 20¼" Left Side Panel</p>	<p>E 1PC</p>  <p>33¼" x 20¾" Back Panel</p>
<p>F 1PC</p>  <p>33¼" x 20¼" Right Side Panel</p>	<p>G 1PC</p>  <p>20¾" x 19" Partition Panel</p>	<p>H 1PC</p>  <p>22½" x 20¾" Bottom Panel</p>	<p>I 1PC</p>  <p>33¼" x 11" Right door Panel</p>	<p>J 1PC</p>  <p>33¼" x 11" Left door Panel</p>
<p>K 2PCS</p>  <p>15" x 3¼" Support Bracket</p>	<p>L 1PC</p>  <p>11¾" x 11½" Iron Caddy</p>	<p>1 80PCS</p>  <p>⅛" x ½" Screws</p>	<p>2 4PCS</p>  <p>¼" x 2" Screws</p>	<p>3 18PCS</p>  <p>¼" x 1¼" Cam Bolt</p>
<p>4 18PCS</p>  <p>⅝" x ½" Cam</p>	<p>5 6PCS</p>  <p>Spear Strike</p>	<p>6 4PCS</p>  <p>Hinge</p>	<p>7 2PCS</p>  <p>Caster</p>	<p>8 2PCS</p>  <p>Locking Caster</p>
<p>9 6PCS</p>  <p>Hinges</p>	<p>10 2PCS</p>  <p>⅛" x ½" Handle</p>	<p>11 6PCS</p>  <p>3.5*30mm Screws</p>	<p>12 2PCS</p>  <p>Plastic Clamp</p>	


Ironing Center Instructions

1. Place Boards **A**, **B** and **C** face down as shown below and screw **hinges (9)** using **screws (1)**; attach **plastic clamp (12)** into boards **B** and **C** as shown using **screws (11)**. Using **screws (1)** attach **hinges (6)** to left and right door panels **I** and **J** and to boards **D** and **F**. Insert **Cams (4)** and **Cam Bolts (3)** into Boards **A**, **D**, **E**, **F** and **G** as shown. Finally use **spear strike (5)** and **screws (1)** to connect **Iron Caddy L** to board **C**.

Step 1



Step 2



2. Insert **Cam bolt (3)** on board **D** into the **Cams (4)** on board **E** and **G** as shown above, turn the cams clockwise. Insert **Cam bolt (3)** on board **F** into the **Cams (4)** on board **E** and **G**, turn the cams clockwise. Use **screw (1)** to connect **Caster (7)** and **Locking Caster (8)** onto board **H**. Use **screw (2)** to connect boards **H** with board **F** and **D**, make sure to align the back of board **H** with boards **F** and **D**. Use **screw (1)** and **spear strike (5)** to connect the **support bracket K** onto board **F**, then flip the cabinet to stand it up.

Ironing Center Instructions

3. Insert **Cam bolt (3)** from board **A** into the **cams (4)** on board **D and F**, turn the cams clockwise.


Use **screw (1)** and **spear strike (5)** to connect the **support bracket K** onto board **D**.

Screw **handle and knob (10)** into doors **J and I**.

Insert the locking screw of **hinges (6)** onto boards **D and F** to connect left and right doors **I and J**. Tighten until doors are vertical, if when closed the doors are not aligned, you may need to loosen or tighten **Adjusting Screw on hinges (6)**.

To completely open your Ironing Center, lift up boards **B and C** and lock them in place by introducing the **support brackets (K)** into the **plastic clamps (12)**, pull them out one side at a time in order to fold it down for storage.

IMPORTANT: Before Ironing, make sure to place Ironing Cover on Ironing Center. Never place a hot Iron directly on the surface. Always remove Ironing Cover one side at a time before folding down your Ironing Center for storage.



SAFETY AND MAINTENANCE

DO NOT allow children to play on, under or around the Ironing Center. Never rest a hot iron directly on the surface, always use Ironing Cover.

To clean use a cloth or sponge and some mild detergent.

DO NOT USE any abrasive pads or cleaners.

— DO NOT RETURN TO STORE —

Sullivans will replace any missing manufacturing or defective parts within 30 days of purchase. Send a dated receipt copy to (630) 435-1532 (Fax) or Sulnotions@sbcglobal.net

THIS POLICY DOES NOT APPLY TO SHIPPING DAMAGES.

For further assistance please call our toll free number (800) 862-8586 or e-mail Sulnotions@sbcglobal.net

Sullivans USA, Inc.

4341 Middaugh Avenue, Downers Grove, IL, 60515
Toll Free: (800) 862.8586 • Fax: 630.435.1532

PLEASE NOTE: Our 30-day No Charge replacement policy for parts does not apply to items sold AS IS, CLEARANCE, CLOSEOUT, FINAL SALE, ETC. Any parts requested under these circumstances will be charged to the customer, including shipping charges. Shipping charges for replacement parts to Alaska, Hawaii or any point outside of The Contiguous United States are not covered under our policy. Some restrictions apply. See website for details.



DO NOT RETURN TO THE STORE

**FOR ASSISTANCE WITH MISSING OR REPLACEMENT
PARTS, INSTALLATION, OR INFORMATION**



www.sullivansusa.net

PLEASE CALL US AT
800.862.8586



www.sullivansusa.net

Sullivans USA, Inc. will replace any missing or defective parts within 30 days of purchase. Fax a dated receipt with your contact information, the lot number on your instructions, and your request to **630-435-1532** or e-mail to **Sullivans@SullivansUSA.net**. To expedite this process, include any parts you may need in your request. This policy does not apply to damages due to shipping. For further assistance, please call 800-862-8586.

Please note that the no-charge Replacement Policy does not apply to items sold as is, clearance, closeout, final sale, etc. Any parts requested under these circumstances will be charged to the customer, including shipping charges. Shipping charges for replacement parts to Alaska, Hawaii or any point outside of the Contiguous United States are not covered under our policy. Some restrictions apply. See website for details. If you are outside of the 30 day period, replacement parts are available for purchase.

4341 MIDDAUGH AVENUE • DOWNERS GROVE, IL 60515 • ORDERS: 800.862.8586 • FAX: 630.435.1532